

Artikel Nr.: 836019

Tischleuchte, Velorum, Anthrazitgrau RAL 7016, 220-240V AC/50-60Hz, 1x max. 18,00 W

Technische Daten**Charakteristik**

Material	Kunststoff
Farbe	Anthrazitgrau RAL 7016
Optik	
im Lieferumfang	3,0 m Anschlusskabel mit Anschlussstecker IP44

**Elektrische Daten**

Leistung	1x max. 18,00 W
Eingangsspannung	220-240V AC/50-60Hz
Eingangsstrom	
Fassung / Sockel	E27
Anzahl Sockel	1
Netzgerät	
Anschlussmöglichkeit	Netzstecker
Schutzklasse I, II, III	II



Artikel Nr.: 836019

Tischleuchte, Velorum, Anthrazitgrau RAL 7016, 220-240V AC/50-60Hz, 1x max. 18,00 W

Lichtrichtung


Dreh- und Schwenkbereich	feststehend
Neigungswinkel	
Abstrahlverhalten	
Reflektor / Linse	



Abmessungen und Gewicht

Länge	
Breite	
Höhe	510 mm
Durchmesser	224 mm
Gewicht	3000 g

Grenzwerte

Betriebstemperatur	-20°C - +60°C
Lagertemperatur	-20°C - +60°C
IP - Schutzart	IP44



EEL	Die Leuchte ist geeignet für Leuchtmittel der Energieeffizienzklassen A++ bis E
IP44	Schutz gegen das Eindringen von Fremdkörper > 1 mm. Geschützt gegen Spritzwasser.
	Leuchte der Schutzklasse II bei der der Schutz gegen elektrischen Schlag nicht allein auf der Basisisolierung beruht, sondern zusätzliche Sicherheitsvorkehrungen wie zusätzliche oder verstärkte Isolierung vorgesehen sind. Es sind weder Vorkehrungen für den Anschluss eines Schutzleiters vorhanden, noch beruht der Schutz auf den Einrichtungsbedingungen.
	Aufgrund des komplexen Herstellungsprozesses von LED stellen die angegebenen Werte nur rein statistische Größen dar und müssen nicht zwingend den tatsächlichen Parametern jedes einzelnen LED-Moduls entsprechen, sondern können von den typischen Werten abweichen.

Article no.: 836019

Table lamp, Velorum, Anthrazite grey RAL 7016, 220-240V AC/50-60Hz, 1x max. 18,00 W

Technical Data**General Characteristics**

Material	plastic
Colour	Anthrazite grey RAL 7016
Optics	
included in delivery	3,0 m connecting cable with plug IP44

**Electrical Characteristics**

Power	1x max. 18,00 W
Input Voltage	220-240V AC/50-60Hz
Input current	
Base (standard designation)	E27
Number of Bases	1
Power supply unit	
Connection possibility	Powerplug
Protection class I, II, III	II

Article no.: 836019

Table lamp, Velorum, Anthrazite grey RAL 7016, 220-240V AC/50-60Hz, 1x max. 18,00 W

Light Direction


Rotating and tilting range	fixed
Angle of inclination	
Radiation direction	
Reflector / lense	

Dimensions & Weight

Length	
Width	
Height	510 mm
Diameter	224 mm
Product Weight	3000 g

Absolute maximum ratings

Working temperature	-20°C - +60°C
Storage temperature	-20°C - +60°C
IP - Code	IP44



EEL The luminaire is suitable for lamps of energy efficiency classes A++ to E.

IP44 Protection against penetration of foreign objects > 1 mm. Protection against penetration of splashing water.



Lightings of Protection Class II in which the protection against electric shock is not based solely on the insulation, but additional safety precautions such as additional or reinforced insulation are provided. There are no provisions for the connection of an equipment grounding conductor exists, yet underlying the protection of the facility conditions.



Because of the complex manufacturing process of the LED the above shown data are just a statistical size, which is not forced to be the realistic data of every LED.